Florida Energy Efficiency Code For Building Construction

EnergyGauge Summit® Fla/Com-2010, Effective Date: March 15, 2012 – Form 506-2010 Prescriptive Compliance for Renovations, Occupancy Change, etc.

PROJECT SUMMARY

Short Desc: Animal Clinic

Owner:

Address1: 2134 SW 67 Avenue

Address2:

Type: Healthcare-Clinic

Jurisdiction: MIAMI, MIAMI-DADE COUNTY, FL (232400)

Conditioned Area: 1600 SF

No of Stories: 1

Permit No: 0

Description: Dog Treatment

City: Miami State: FL

Zip: 33155

Zap. 33133

Class: Renovation to existing buildi

Conditioned & UnConditioned Area: 1600 SF

Area entered from Plans 1600 SF

Max Tonnage 5.9 If different, write in:

Est 12

Miami Dade County Department of Regulatory And Economic Resources - Job Copy

0000725367 - 1/8/2013 11:23:30 AM

Energy calcs rwk 121320 EnergyGauge Summit® Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

Examiner Date Time Stamp

Disp. Trade Stamp Name

Page 1 of 7

John Ariton 12/24/2012 12:12:57 PM V

MECH Void

Compliance Summary						
Component	Design	Criteria	Result			
RENOVATED ENVELOPE PRESCRIPTIVE			PASSES			
LIGHTING POWER	800.0	960.0	PASSES			
LIGHTING CONTROLS			PASSES			
EXTERNAL LIGHTING			None Entered			
HVAC SYSTEM			PASSES			
PLANT			None Entered			
WATER HEATING SYSTEMS			Not Checked			
PIPING SYSTEMS			None Entered			
Met all required compliance from Check List?			Yes/No/NA			

IMPORTANT MESSAGE

Info 5009 -- -- An input report of this design building must be submitted along with this Compliance Report

Miami Dade County Department of Regulatory And Economic Resources - Job Copy

0000725367 - 1/8/2013 11:23:30 AM

Energy calcs rwk 121320120001 odf EnergyGauge Summit® Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

Examiner Dal2/13/2012 Stamp Disp. Trade Stamp Name

Page 2 of 7

John Ariton 12/24/2012 12:12:57 PM V MECH Void

CERTIFICATIONS

		hereby certify that the plans and specificat Florida Energy Code
Iding Official:	Building Official:	Prepared By:
Date:	Date:	Date:
ciency Code	e FLorida Energy Efficiency Code	certify that this building is in compliance w
Date:	Date:	Owner Agent:
s in compliance with the Florida	at the system design is in complian	If Required by Florida law, I hereby certify (Energy Efficiency Code
Reg No:	Reg No:	Architect:
	D 37	Electrical Designer:
Reg No:	Reg No:	Electrical Designer.
Reg No:		Lighting Designer:
	Reg No:	<u>-</u>

Miami Dade County Department of Regulatory And Economic Resources - Job Copy

0000725367 - 1/8/2013 11:23:30 AM

Energy calcs rwk 121320120001 p.df EnergyGauge Summit® Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

Examiner Date/19/2012Stamp Disp. Trade Stamp Name

Page 3 of 7

Prescriptive	Envelope	Compliance
--------------	----------	------------

Item	Zone	Description	Design	Criteria Meet Req.
Glass Animal CL	Animal CL	Percent glass Max allowed Exterior Wall: UValue Max allowed Exterior Wall: Absorptance Max allowed Exterior Window: SHGC Max allowed Exterior Window: UValue Max allowed Exterior Wall: UValue Max allowed Exterior Wall: Absorptance Max allowed Exterior Door: UValue Max allowed Exterior Wall: UValue Max allowed	1.754 .027 .220 .250 .450 .027 .220 .350 .027	50.000 Yes 0.052 Yes 0.300 Yes 0.250 Yes 0.450 Yes 0.052 Yes 0.300 Yes 1.450 Yes 0.052 Yes 0.300 Yes
Animal CL Skylights Animal CL Animal CL	Animal CL Animal CL Animal CL Animal CL	Exterior Wall: Absorptance Max allowed Percent Skylight Max allowed Exterior Roof UValue Max allowed Exterior Roof: Absorptance Max allowed	.000 .022 .100	5.000 Yes 0.033 Yes 0.220 Yes

Meets Shell Envelope Requirements -- PASSES

External Lighting Compliance

Description

Category

Tradable? Allowance Area or Length ELPA
(W/Unit) or No. of Units (W)
(Sqft or ft)

None

PASSES

Project: Animal Clinic Title: Dog Treatment Type: Healthcare-Clinic

(WEA File: FL MIAMI_INTL_AP.tm3)

Lighting Power Compliance

Space	Ashrae ID	Description	Area (sq.ft)	Height (ft)	No. of Spaces	Design (W)	Effective (W)	Allowance (W)
Animal C	CL 10,008	Nursery (Hospital)	1,600	8.0	1	800	800	960

Design :

800 (W)

Effective: 800 (W)

Miami Dade Co www. And Economic Resources - Job Copy

0000725367 - 1 Passing requires Design to be at most 100% of Criteria

1 1 1010

Energy calcs rwk 121320120001 pdf EnergyGauge Summit® Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

Examiner Dal2/13/2012Stamp

Disp. Trade Stamp Name

Page 4 of 7

John Ariton 12/24/2012 12:12:57 PM V

MECH Void

Project: Animal Clinic Title: Dog Treatment Type: Healthcare-Clinic (WEA File: FL MIAMI INTL_AP.tm3) Lighting Controls Compliance Compli-Design Min Description Area Ashrae Acronym CP CP ance (sq.ft) \mathbf{m} 2 1 PASSES 1,600 10,008 Nursery (Hospital) Animal CL PASSES Project: Animal Clinic Title: Dog Treatment Type: Healthcare-Clinic (WEA File: FL MIAMI_INTL_AP.tm3) **System Report Compliance** No. of Units **Condensing Units** Animal CL Treatment **IPLV** Eff Design Comp-Capacity Design Component Category PLV Criteria liance Criteria Eff 10.10 1.00 11.20 PASSES 13.00 Condensing Units Air Cooled Cooling System **PASSES** 0.82 0.80 Air Handling Air Handler (Supply) -Constant Volume System -Supply

			Plant	Comp	oliance				
Description	Installed No	Size	Design Eff	Min Eff	Design IPLV	Min IPLV	Category		Comp liance
	,				<u> </u>			None	

Miami Dade County Department of Regulatory And Economic Resources - Job Copy

0000725367 - 1/8/2013 11:23:30 AM

Energy calcs rwk 121320120001.pdf

Examiner Date Time Stamp Gauge Summit Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

Page 5 of 7

PASSES

Description	Туре	er Heater Coi	Design Eff	Min Eff	Design Loss		Comp liance
Water Heater 1	Electric water heater	Unknown	0.93				Not Checked
				-		No	t Checked
		Piping Syst	em Comp	olianc	e		
	Pine	Dia Is Op	erating Ins Temp (Btu	Cond	Ins Thick [in		Ins Complia

Miami Dade County Department of Regulatory And Economic Resources - Job Copy

0000725367 - 1/8/2013 11:23:30 AM

Energy calcs rwk 121320120001 p.df EnergyGauge Summit® Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

Examiner D426 Y2018 Stamp Disp. Trade Stamp Name

Page 6 of 7

Project: Animal Clinic Title: Dog Treatment Type: Healthcare-Clinic

(WEA File: FL_MIAMI_INTL_AP.tm3)

Other Required Compliance

Category	Section	Requirement (write N/A in box if not applicable)	Check
Report	506.4.2	Input Report Print-Out from EnergyGauge FlaCom attached	
Operations Manual	303.3.1, 503.2.9.3, 505.7.4.2	Operations manual provided to owner	к 🗆
Windows & Doors	502.3.2	Glazed swinging entrance & revolving doors: max. 1.0 cfm/ft²; all other products: 0.3 cfm/ft²	
Joints/Cracks	502.3.3	To be caulked, gasketed, weather-stripped or otherwise sealed	
Dropped Ceiling Cavity	502.3	Vented: seal & insulated ceiling. Unvented seal & insulate roof & side walls	
HVAC Efficiency	503.2.3	Minimum efficiencies: Tables 503.2.3(1)-(8)	
HVAC Controls	503.2.4	Zone controls prevent reheat (exceptions); separate thermostatic control per zone;	
Ventilation	503.2.5	Outdoor air supply & exhaust ducts shall have dampers that automatically shut when systems or spaces served are not in use. Exhaust air energy recovery required for cooling systems	
ADS	503.2.7.5	(Exceptions). Duct sizing and Design have been performed	ď
HVAC Ducts	503.2.7	Air ducts, fittings, mechanical equipment & plenum chambers shall be mechanically attached, sealed, insulated & installed per Table 503.2.7.2. Fan power limitations.	~
Balancing	503.2.9.1	HVAC distribution system(s) tested & balanced. Report in construction documents.	
Piping Insulation	503.2.8	HAC and service hot water. In accordance with Table 503.2.8.	Ų
Water Heaters	504	Performance requirements in accordance with Table 504.2. Heat trap required.	
Swimming Pools	504.7	Vapor-retardant or liquid cover or other means proven to reduce heat loss on heated pools; Time switch (exceptions); readily accessible on/off switch.	
Motors	505.7.5	Motor efficiency criteria have been met	
Lighting Controls	505.2, 502.3	Automatic control required for interior lighting in buildings >5,000 s.f.; Space control; Exterior photo sensor; Tandom wiring with 1 or 3 linear fluorescent lamps>30W	Image: selection of the content of th

Miami Dade County Department of Regulatory And Economic Resources - Job Copy

0000725367 - 1/8/2013 11:23:30 AM

Energy calcs rwk 121320120001, p.df EnergyGauge Summit® Fla/Com-2010. Section 506.4 Compliant Software. Effective Date: March 15, 2012

<u>Examiner</u> <u>Ddff172012 Stamp</u> <u>Disp. Trade</u> <u>Stamp Name</u>

John Ariton 12/24/2012 12:12:57 PM V MECH Void

Page 7 of 7